



MIXED FERTILIZER PROTOCOL FOR CORN

| GROWTH STAGE | SPROUTING: 0-1 LEAF | SPROUTING: 3 LEAVES | 6 LEAVES | 10 LEAVES | 12 LEAVES |
|---|--|---|---|---|---|
| |  |  |  |  |  |
| DAP - Days After Planting | 0-5 DAP | 10-15 DAP | 22-27 DAP | 34-39 DAP | 43-48 DAP |
| INTERVAL (Between Applications) | | 10 to 12 days after basal application | 12 to 14 days | 12 to 14 days | 9 to 12 days |
| DOSAGE PER 16L TANKLOAD (The XANADU bottle cap holds approximately 25ml up to the topmost screw line) | | | | | |
|  | BASAL RECOMMENDATION: UREA (46-0-0) 50 Kg + T14 (14-14-14) 50 Kg | 200 ml | | | |
|  | | 200 ml | | | |
|  | | ADD DURING DRY SEASON: +100 ml | | | |
| NO. OF TANKLOADS | | | | 250 ml | 250 ml |
| DOSAGE PER HECTARE | | | | | |
|  | 2L F1 | 2 L F2 | ADD DURING DRY SEASON: +1L F2 | 2.5L F3 | 2.5L F3 |
| BASE REQUIREMENT / HA: 2L F1 + 2L F2 + 5L F3 | | 2L F1 | | | |



REMINDER:

Follow the recommended increase in dosage if the weather is dry and the sunlight intensity is high at 22-27 DAP.